Arcana Architectural Pavers by Unilock

Health Product Declaration v2.1.1

created via: HPDC Online Builder

CLASSIFICATION: 32 14 00 Exterior Improvements: Unit Paving

PRODUCT DESCRIPTION: Unilock's manufacturing teams have an unrelenting commitment to shipping only top quality products. Every Unilock product is durable, made with colorfast pigments, slip resistant, resistant to salt erosion, and designed to tolerate oil and gas spills. Granite, quartz and marble are exposed in the fine blasted surface of these large format slabs to deliver brilliant color and a non-slip surface. The silky, matte appearance of Arcana is further enhanced with EasyClean Stain Resistance for easier cleanup of spills. This HPD covers Unilock's Arcana product line manufactured at our world class facility in Aurora, Illinois. Also includes CSI MasterFormat 32 14 13 Precast Concrete Unit Paving.



Section 1: Summary

Basic Method / Product Threshold

CONTENT INVENTORY

Inventory Reporting Format

C Nested Materials Method

Basic Method

Threshold Disclosed Per

Material

Product

Threshold level

C 100 ppm

1,000 ppm

Per GHS SDS Per OSHA MSDS

C Other

Residuals/Impurities

C Considered

Partially Considered

Not Considered

Explanation(s) provided for Residuals/Impurities?

• Yes • No

All Substances Above the Threshold Indicated Are:

Characterized

• Yes Ex/SC O Yes O No

% weight and role provided for all substances except SC substances characterized according to SC guidance.

Screened

• Yes Ex/SC • Yes • No

All substances screened using Priority Hazard Lists with results disclosed except SC substances screened according to SC guidance.

Identified

All substances disclosed by Name (Specific or Generic) and Identifier except SC substances identified according to SC guidance.

CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

MATERIAL | SUBSTANCE | RESIDUAL OR IMPURITY

GREENSCREEN SCORE | HAZARD TYPE

ARCANA ARCHITECTURAL PAVERS [LIMESTONE, CALCIUM CARBONATE LT-UNK PORTLAND CEMENT LT-P1 | END | CAN SC:NATURAL SAND Not Screened BLAST FURNACE SLAG LT-UNK QUARTZ LT-1 | CAN SILICA, AMORPHOUS LT-P1 | CAN FLY ASH LT-UNK CALCIUM OXIDE LT-P1 SULFUR TRIOXIDE LT-P1 | MAM IRON OXIDE LT-UNK | CAN FERRIC OXIDE BM-2 | CAN FERRIC OXIDE YELLOW LT-UNK TITANIUM DIOXIDE LT-1 | CAN | END]

Number of Greenscreen BM-4/BM3 contents ... 0

Contents highest concern GreenScreen

Benchmark or List translator Score ... LT-1

Nanomaterial ... No

INVENTORY AND SCREENING NOTES:

Special conditions applied: GeologicalMaterial

[LEED v4] "Yes ex/SC" result is due only to materials and substances for which Special Conditions were applied. Thus "Yes ex/SC" does not disqualify the product for the LEED v4 Materials and Resources Disclosure and Optimization credit, Option 1.

This Health Product Declaration (HPD) was completed in accordance with the HPD Standard version 2.1.1, and discloses hazards associated with all substances present at or above 1000 parts per million (ppm) in the finished product, along with the role and percent weight.

VOLATILE ORGANIC COMPOUND (VOC) CONTENT

VOC Content data is not applicable for this product category.

CERTIFICATIONS AND COMPLIANCE See Section 3 for additional listings.

VOC emissions: CDPH Standard Method - Not tested

CONSISTENCY WITH OTHER PROGRAMS

Pre-checked for LEED v4 Material Ingredients, Option 1

Third Party Verified?

C Yes No

PREPARER: Self-Prepared VERIFIER: VERIFICATION #:

SCREENING DATE: 2019-11-25 PUBLISHED DATE: 2019-12-17 EXPIRY DATE: 2022-11-25



Section 2: Content in Descending Order of Quantity

This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- Basic Inventory method with Product-level threshold.
- Nested Material Inventory method with Product-level threshold
- Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 2.1.1, available on the HPDC website at: www.hpd-collaborative.org/hpd-2-1-1-standard

ARCANA ARCHITECTURAL PAVERS

PRODUCT THRESHOLD: 1000 ppm

RESIDUALS AND IMPURITIES CONSIDERED: Partially

RESIDUALS AND IMPURITIES NOTES: Residuals and Impurities were "Considered", as outlined in Emerging Best Practices for most substances. Residuals or impurities with the potential to be present at or above the Content Inventory Threshold indicated that return a GS score of BM-1, LT-1, LT-P1 or NoGS have been disclosed for these subtances based on information provided in supplier disclosure letters, supplier SDS, and as predicted by process chemistry (Pharos CML). Residuals/impurities for Fly Ash (68131-74-8) have been considered as per supplier documentation only.

OTHER PRODUCT NOTES: Percent by weight of substances reported as range to account for possible formulation variations.

LIMESTONE, CALCIUM CARBONATE

ID: 1317-65-3

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2019-11-25				
%: 30.00 - 35.00	GS: LT-UNK	RC: None	nano: No	ROLE: Aggregate
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		
None found			No warnings found	d on HPD Priority Hazard Li

SUBSTANCE NOTES: Identified on the US EPA Safer Chemical Ingredient List (Green Circle - Verified Low Concern).

PORTLAND CEMENT	ID: 65997-15-1

CANCER	MAK	_	en Group 3B - Ev ufficient for class	vidence of carcinogenic effects ification
ENDOCRINE	TEDX - Potential Endocrine Disruptors	Potential	Endocrine Disru	otor
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		
%: 5.50 - 15.00	GS: LT-P1	RC: None	nano: No	ROLE: Cement Binder
HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2019-11-25		

SUBSTANCE NOTES: Includes Portland cement and white cement from multiple suppliers. From supplier documentation: "Cement is made from materials mined from the earth and processed using energy provided by fuels. Additional materials, such as fly ash, kiln dust and slag may also be introduced into the cement manufacturing process. A chemical analysis of cement may reveal trace amounts of naturally occurring but potentially harmful chemical compounds such as free crystalline silica, organic compounds, potassium and sodium compounds, heavy metals including cadmium, chromium (including hexavalent chromium), nickel and lead. Other trace constituents may include calcium oxide (also known as free lime or quick lime) and organic compounds from grinding aids such as amine acetate salts, glycols and 1,2-ethanediol."

SC:NATURAL SAND ID: SC:GeoMat

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREEN	ING DATE: 2019-1	1-25
%: 5.00 - 10.00	GS: Not Screened	RC: None	NANO: No	ROLE: Aggregate
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		
	Hazard Screening not performed			

SUBSTANCE NOTES:

Version: SCGeoMats/2018-02-23

Origin: Varies by supplier. Please contact manufacturer if more information is required.

Typical Composition: 50-99% Quartz/Silica (14808-60-7); <26% Tridymite (15468-32-3); <13% Christobalite (14464-46-1).

Potential presence of toxic metals: None indicated by suppliers Presence of Radioactive Elements: None indicated by suppliers

Concrete sand.

BLAST FURNACE SLAG

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZAR			NING DATE: 2019	-11-25
%: 4.50 - 10.00	GS: LT-UNK	RC: PreC	NANO: No	ROLE: Cement Binder
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		
None found			No warnings fo	ound on HPD Priority Hazard Lists

SUBSTANCE NOTES: Slag cement. Other means of identification: GGBFS; Ground Granulated Blast Furnace Cement. Industrial uses in manufacture of concrete, portland cement, blended cement and other building and construction materials. Supplier documentation states: The majority of components in Granulated Blast Furnace Slag are various glassy Metallic Silicates (Iron, Calcium, Magnesium, Aluminum, and Titanium Silicates), including: Dicalcium Silicate (Ca2SiO4) 14284-23-2, Merwinite (Ca3MgSi2O8) 13813-64-4, and Gehlenite (Ca2Al2SiO7) 1302-56-3. Granulated blast-furnace slag is a co-product of the steel industry produced by adding a limestone flux to the ore to remove non-ferrous contaminants. As such, it may contain small quantities of hazardous heavy metals, including trace amounts of chromium, usually in solution in the glass. Ground granulated blast-furnace slag (GGBFS) is a vitreous material containing silica, alumina, magnesia and calcium oxides. It also contains a small quantity of iron, sodium, titanium and manganese oxides. The oxides do not actually occur in free form but as complexed silica-based glasses.

QUARTZ

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library

HAZARD SCREENING DATE: 2019-11-25

%: Impurity/Residual

GS: LT-1

RC: None NANO: No ROLE: Impurity/Residual

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS	
CANCER	IARC	Group 1 - Agent is Carcinogenic to humans	
CANCER	US CDC - Occupational Carcinogens	Occupational Carcinogen	
CANCER	CA EPA - Prop 65	Carcinogen - specific to chemical form or exposure route	
CANCER	IARC	Group 1 - Agent is carcinogenic to humans - inhaled from occupational sources	
CANCER	US NIH - Report on Carcinogens	Known to be Human Carcinogen (respirable size - occupational setting)	
CANCER	MAK	Carcinogen Group 1 - Substances that cause cancer in man	
CANCER	GHS - New Zealand	6.7A - Known or presumed human carcinogens	
CANCER	GHS - Japan	Carcinogenicity - Category 1A [H350]	
CANCER	GHS - Australia	H350i - May cause cancer by inhalation	

SUBSTANCE NOTES: Sources: Natural Sand; Limestone (1317-65-3); Portland cement (65997-15-1); Slag Cement (65996-69-2); Fly Ash (68131-74-8).

SILICA, AMORPHOUS ID: 7631-86-9

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2019-11-25		
%: Impurity/Residual	gs: LT-P1	RC: None NANO: No ROLE: Impurity/Residua	al	
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		
CANCER	GHS - Japan	Carcinogenicity - Category 1A [H350]		
CANCER	GHS - Australia	H350i - May cause cancer by inhalation		

SUBSTANCE NOTES: Potential sources: Slag Cement (65996-69-2); Fly Ash (68131-74-8). As per Pharos CML: Pollutant/Contaminant; Frequent; % Unknown.

FLY ASH ID: 68131-74-8

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREEN	ENING DATE: 2019-11-25		
%: 0.50 - 3.50	GS: LT-UNK	RC: PreC	nano: No	ROLE: Cement Binder	
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS			
None found No warnings found on HPD Priority Haza			ound on HPD Priority Hazard Lists		

SUBSTANCE NOTES: As per supplier statement: Fly ash is a by-product of coal combustion and as such may contain variable trace amounts of various different elements depending on the natural source of the coal. These may include arsenic, antimony, lead, nickel, manganese, chromium, boron, beryllium, selenium, cadmium, mercury, vanadium, uranium and other metals in trace (<0.1%) amounts.

CALCIUM OXIDE ID: 1305-78-8

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREET	NING DATE: 2019	-11-25
%: Impurity/Residual GS: LT-P1		RC: None	nano: No	ROLE: Impurity/Residual
HAZARD TYPE	AGENCY AND LIST TITLES	WARNING	GS	
None found			No warnin	gs found on HPD Priority Hazard Lists

SUBSTANCE NOTES: Sources: Portland Cement; Slag Cement; Fly Ash. As per Pharos CML: Component; Frequent; % Unknown.

HAZARD SCREENING METHOD: Pha	ros Chemical and Materials Library	HAZARD SCREE	NING DATE: 2019	-11-25
%: Impurity/Residual	GS: LT-P1	RC: None	nano: No	ROLE: Impurity/Residual
HAZARD TYPE	AGENCY AND LIST TITLES	WARNIN	GS	
MAMMALIAN	US EPA - EPCRA Extremely Hazardous Substances	Extren	nely Hazardous (Substances

SUBSTANCE NOTES: Potential source: Portland cement. As per Pharos CML: Component; Integral; 3.0%.

IRON OXIDE ID: 1317-61-9

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREEN	HAZARD SCREENING DATE: 2019-11-25		
%: 0.00 - 1.00	GS: LT-UNK	RC: None	nano: No	ROLE: Pigment	
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS			
CANCER	MAK	•	oup 3B - Evidence ent for classificatio	of carcinogenic effects	

SUBSTANCE NOTES: Percent by weight of substance reported as a range due to different colors available. Contact manufacturer if more information is required.

FERRIC OXIDE ID: 1309-37-1

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREEN	HAZARD SCREENING DATE: 2019-11-25			
%: 0.00 - 1.00	GS: BM-2	RC: None	nano: No	ROLE: Pigment		
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS				
CANCER	MAK	-	Carcinogen Group 3B - Evidence of carcinogenic eff but not sufficient for classification			

SULFUR TRIOXIDE

ID: 7446-11-9

SUBSTANCE NOTES: GreenScreen Benchmark® assessment score of BM-2 was provided by the HPD Builder Tool. Percent by weight of substance reported as a range due to different colors available. Contact manufacturer if more information is required.

FERRIC OXIDE YELLOW ID: 51274-00-1

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2019-11-25			
%: 0.00 - 1.00	GS: LT-UNK	RC: None	NANO: No	ROLE: Pigment	
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS			
None found No warnings found on HPD Priority Hazard Lists					

SUBSTANCE NOTES: Percent by weight of substance reported as a range due to different colors available. Contact manufacturer if more information is required.

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2019-11-25

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREEN	HAZARD SCREENING DATE: 2019-11-25			
%: 0.00 - 1.00	GS: LT-1	RC: None	nano: No	ROLE: Pigment		
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS				
CANCER	US CDC - Occupational Carcinogens	Occupational	Occupational Carcinogen			
CANCER	CA EPA - Prop 65	Carcinogen -	Carcinogen - specific to chemical form or exposure route			
CANCER	IARC	·	Group 2B - Possibly carcinogenic to humans - inhaled from occupational sources			
ENDOCRINE	TEDX - Potential Endocrine Disruptors	Potential End	Potential Endocrine Disruptor			
CANCER	MAK	•	Carcinogen Group 3A - Evidence of carcinogenic effects but not sufficient to establish MAK/BAT value			
CANCER	MAK	•	Carcinogen Group 4 - Non-genotoxic carcinogen with low risk under MAK/BAT levels			

SUBSTANCE NOTES: Pigmentary Titanium Dioxide is identified on the US EPA Safer Chemical Ingredient List (Green Circle - Verified Low Concern). Percent by weight of substance reported as a range due to different colors available. Contact manufacturer if more information is required. May also represent potential impurity in fly ash.

TITANIUM DIOXIDE

ID: 13463-67-7



Section 3: Certifications and Compliance

This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.

VOC EMISSIONS

CDPH Standard Method - Not tested

CERTIFYING PARTY: Self-declared

ISSUE DATE: 2019-

08-14

EXPIRY DATE:

CERTIFIER OR LAB: N/A

APPLICABLE FACILITIES: N/A

CERTIFICATE URL:

CERTIFICATION AND COMPLIANCE NOTES:



Section 4: Accessories

This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.

No accessories are required for this product.



Section 5: General Notes

MANUFACTURER INFORMATION

MANUFACTURER: Unilock

ADDRESS: 401 The West Mall

Suite 610

Toronto ON M9C 5J5, CANADA

WEBSITE: www.unilock.com

CONTACT NAME: Brad Swanson

TITLE: Director of Commercial Sales

PHONE: **800-864-5625**

EMAIL: Brad.Swanson@unilock.com

KEY

OSHA MSDS Occupational Safety and Health Administration Material Safety Data Sheet GHS SDS Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

Hazard Types

AQU Aquatic toxicity

CAN Cancer

DEV Developmental toxicity

END Endocrine activity

EYE Eye irritation/corrosivity

GEN Gene mutation

GLO Global warming

MAM Mammalian/systemic/organ toxicity

MUL Multiple hazards

NEU Neurotoxicity

OZO Ozone depletion **PBT** Persistent Bioaccumulative Toxic

RES Respiratory sensitization
SKI Skin sensitization/irritation/corrosivity

LAN Land Toxicity

NF Not found on Priority Hazard Lists

PHY Physical Hazard (reactive)

REP Reproductive toxicity

GreenScreen (GS)

BM-4 Benchmark 4 (prefer-safer chemical)

BM-3 Benchmark 3 (use but still opportunity for improvement)

BM-2 Benchmark 2 (use but search for safer substitutes)

BM-1 Benchmark 1 (avoid - chemical of high concern)

BM-U Benchmark Unspecified (insuficient data to benchmark)

LT-P1 List Translator Possible Benchmark 1 LT-1 List Translator Likely Benchmark 1

LT-UNK List Translator Benchmark Unknown (insufficient information from List Translator lists to benchmark)

NoGS Unknown (no data on List Translator Lists)

Recycled Types

PreC Preconsumer (Post-Industrial)

PostC Postconsumer

Both Both Preconsumer and Postconsumer

Unk Inclusion of recycled content is unknown

None Does not include recycled content

Other Terms

Inventory Methods:

Nested Method / Material Threshold Substances listed within each material per threshold indicated per material Nested Method / Product Threshold Substances listed within each material per threshold indicated per product Basic Method / Product Threshold Substances listed individually per threshold indicated per product

Nano Composed of nano scale particles or nanotechnology

Third Party Verified Verification by independent certifier approved by HPDC

Preparer Third party preparer, if not self-prepared by manufacturer

Applicable facilities Manufacturing sites to which testing applies

The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard v2.1 is not:

- a method for the assessment of exposure or risk associated with product handling or use,
- a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the product is delivered for end use.

Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.

The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.

The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and for compliance with the HPD standard noted.