# **Arcana & Soreno Hermetic Slabs** by Unilock

**Health Product** Declaration v2.3

Yes ○ No

Yes ○ No

created via: HPDC Online Builder

**HPD UNIQUE IDENTIFIER: 31693** CLASSIFICATION: 07 76 00 Roof Pavers

PRODUCT DESCRIPTION: Unilock's manufacturing teams have an unrelenting commitment to shipping only top quality products. Every Unilock product is durable, made with colorfast pigments, slip resistant, resistant to salt erosion, and designed to tolerate oil and gas spills. Granite, quartz and marble are exposed in the fine blasted surface of these large format slabs to deliver brilliant color and a non-slip surface. The silky, matte appearance of Arcana and Soreno is further enhanced with EasyClean Stain Resistance for easier cleanup of spills. This HPD covers Unilock's Arcana and Soreno product lines manufactured at our world class facility in Aurora, Illinois. Also includes CSI MasterFormat 32 14 13 Precast Concrete Unit Paving.

# Section 1: Summary

#### **Basic Method / Product Threshold**

#### **CONTENT INVENTORY**

**Inventory Reporting Format** 

C Nested Materials Method

Basic Method

**Threshold Disclosed Per** 

Material

Product

Threshold Level

C 100 ppm

⊙ 1,000 ppm

C Per GHS SDS

Other

Residuals/Impurities Evaluation

Completed

C Partially Completed

O Not Completed

Explanation(s) provided:

Yes ○ No

For all contents above the threshold, the manufacturer has:

Characterized

Provided weight and role.

Screened

Provided screening results using HPDC-approved

methods.

Identified Yes ○ No

Provided name and CAS RN or other identifier.

#### CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

PRODUCT | MATERIAL OR SUBSTANCE | RESIDUAL OR IMPURITY **GREENSCREEN SCORE | HAZARD TYPE** 

**ARCANA & SORENO HERMETIC SLABS [ LIMESTONE, CALCIUM** CARBONATE BM-3dg PORTLAND CEMENT LT-P1 | CAN | END | MAM BLAST FURNACE SLAG LT-UNK FLY ASH LT-UNK FERRIC OXIDE YELLOW LT-UNK QUARTZ BM-1\* | CAN | MAM | GEN FERROSOFERRIC OXIDE BM-1\* | CAN FERRIC OXIDE BM-1\* | CAN | MAM | EYE | SKI TITANIUM DIOXIDE LT-1\* | CAN | END | MAM SILICA,

AMORPHOUS BM-1 | CAN | MAM NATURAL SAND GRANITE ]

Number of Greenscreen BM-4/BM3 contents ... 1

Contents highest-concern GreenScreen score(s) (BM-1, LT-1, LT-P1) ... LT-P1, BM-1

Nanomaterial ... No

# **INVENTORY AND SCREENING NOTES:**

Special Conditions applied: [GeologicalMaterial]

This Health Product Declaration (HPD) was completed in accordance with the HPD Standard version 2.3, and discloses hazards associated with all substances present at or above 1000 parts per million (ppm) in the finished product, along with the role and percent weight.

\*Form-Specific Hazard: This substance's GreenScreen Benchmark or List Translator score and the applicable hazards are related to particulate inhalation, which is expected to occur only during manufacture, installation, maintenance, or demolition, due to activities such as sawing, sanding, grinding, or intensive cleaning. For this reason, this score is intentionally omitted from the "Contents highest concern" line above. See HPDC's Special Conditions policy for more information.

# **VOLATILE ORGANIC COMPOUND (VOC) CONTENT**

VOC Content data is not applicable for this product category.

**CERTIFICATIONS AND COMPLIANCE** See Section 3 for additional

VOC emissions: CDPH Standard Method - Not tested

### CONSISTENCY WITH OTHER PROGRAMS

Pre-checked for LEED v4 Option 1. Pre-checked for LEED v4.1 Option 1.

Third Party Verified?

O Yes

No

PREPARER: Self-Prepared

VERIFIER:

**VERIFICATION #:** 

**SCREENING DATE: 2023-03-13 PUBLISHED DATE: 2023-03-13** EXPIRY DATE: 2026-03-13

# Section 2: Content in Descending Order of Quantity

This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- Basic Inventory method with Product-level threshold.
- Nested Material Inventory method with Product-level threshold
- · Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 2.3, available on the HPDC website at: www.hpd-collaborative.org/hpd-2-3-standard

#### **ARCANA & SORENO HERMETIC SLABS**

PRODUCT THRESHOLD: 1000 ppm

RESIDUALS AND IMPURITIES EVALUATION COMPLETED: Yes

RESIDUALS AND IMPURITIES NOTES: Residuals or impurities with the potential to be present at or above the Content Inventory Threshold indicated that return a GS score of BM-1, LT-1, LT-P1 or NoGS have been disclosed, based on information provided in supplier documentation and as predicted by process chemistry (Pharos CML) for most substances. Residuals and impurities for Fly Ash (68131-74-8) have been considered as per supplier documentation only.

OTHER PRODUCT NOTES: Percent by weight of substances reported as range to account for formulation variations between product options.

### LIMESTONE, CALCIUM CARBONATE

ID: 1317-65-3

· ·				
HAZARD DATA SOURCE:	Pharos Chemical and Materials Library	HAZARD S	CREENING DATE:	2023-03-13 8:36:42
%: 23.0000 - 37.0000	GreenScreen: BM-3dg	RC: None	NANO: No	SUBSTANCE ROLE: Filler
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS	
None found			No warı	nings found on HPD Priority Hazard Lists
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION	
None found			No	listings found on Additional Hazard Lists

SUBSTANCE NOTES: GreenScreen Benchmark® assessment score of BM-3dg was provided by the HPD Builder Tool.

NATURAL SAND ID: Geological Material

HAZARD DATA SOURCE: HPDC Special Conditions Policy

%: 22.0000 - 34.0000 GreenScreen: Not Required RC: None NANO: No MATERIAL ROLE: Filler

HAZARD TYPE AGENCY AND LIST TITLES WARNINGS

Hazard Screening is not applicable to this Special Condition

INGREDIENT DESCRIPTION AND COMPOSITION: 50-99% Quartz/Silica (14808-60-7); <26% Tridymite (15468-32-3); <13% Christobalite (14464-46-1).

COUNTRY OF ORIGIN: Varies by supplier. Please contact manufacturer if more information is required.

RADIOACTIVE ELEMENTS: According to supplier provided information and/or internal testing, it is determined that no radioactive elements are found in this material.

POTENTIAL PRESENCE OF TOXIC METALS: According to supplier provided information and/or internal testing, it is determined that no toxic metals are found in this material.

PORTLAND CEMENT ID: 65997-15-1

HAZARD DATA SOURCE:	Pharos Chemical and Materials Library	HAZARD S	CREENING DATE: 2	2023-03-13 8:36:43
%: 9.0000 - 22.0000	GreenScreen: LT-P1	RC: None	NANO: <b>No</b>	SUBSTANCE ROLE: Binder
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS	
CAN	MAK		Carcinogen Group but not sufficient fo	3B - Evidence of carcinogenic effects or classification
END	TEDX - Potential Endocrine Disr	ruptors	Potential Endocrine	e Disruptor
MAM	GHS - Japan		repeated exposure	mage to organs through prolonged or e [Specific target organs/systemic epeated exposure - Category 1]
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION	
None found			No list	tings found on Additional Hazard Lists

SUBSTANCE NOTES: Includes Portland cement and white cement from multiple suppliers. From supplier documentation: "Cement is made from materials mined from the earth and processed using energy provided by fuels. Additional materials, such as fly ash, kiln dust and slag may also be introduced into the cement manufacturing process. A chemical analysis of cement may reveal trace amounts of naturally occurring but potentially harmful chemical compounds such as free crystalline silica, organic compounds, potassium and sodium compounds, heavy metals including cadmium, chromium (including hexavalent chromium), nickel and lead. Other trace constituents may include calcium oxide (also known as free lime or quick lime) and organic compounds from grinding aids such as amine acetate salts, glycols and 1,2-ethanediol."

GRANITE ID: Geological Materia				
HAZARD DATA SOURC	CE: HPDC Special Conditions Poli	су		
%: 6.0000 - 18.0000	GreenScreen: Not Required	RC: None	NANO: No	MATERIAL ROLE: Filler
HAZARD TYPE	AGENCY AND LIST T	TLES	WARNINGS	
	Hazard Screening	is not applicable to	o this Special Condit	ion
INGREDIENT DESCR amphiboles, and other	IPTION AND COMPOSITION: Graniter minerals.	e is composed mai	nly of quartz and felo	dspar with minor amounts of mica,
COUNTRY OF ORIGIN	N: Canada			
RADIOACTIVE ELEM	ENTS: Unknown			

MATERIAL CONTENT NOTES: This disclosure does not provide potential presence of radioactive elements which may be found in certain

This disclosure does not provide potential presence of toxic metals which may be found in certain geological materials.

BLAST FURNACE SLAG ID: 65996-69-2

HAZARD DATA SOURCE: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2023-03-13 8:36:43

%: 2.0000 - 13.0000 GreenScreen: LT-UNK RC: PreC NANO: No SUBSTANCE ROLE: Binder

geological materials.

POTENTIAL PRESENCE OF TOXIC METALS: Unknown

None found

No warnings found on HPD Priority Hazard Lists

ADDITIONAL LISTINGS

LIST NAME AND SOURCE

NOTIFICATION

No listings found on Additional Hazard Lists

SUBSTANCE NOTES: Slag cement. Other means of identification: GGBFS; Ground Granulated Blast Furnace Cement. Industrial uses in manufacture of concrete, portland cement, blended cement and other building and construction materials. Supplier documentation states: The majority of components in Granulated Blast Furnace Slag are various glassy Metallic Silicates (Iron, Calcium, Magnesium, Aluminum, and Titanium Silicates), including: Dicalcium Silicate (Ca2SiO4) 14284-23-2, Merwinite (Ca3MgSi2O8) 13813-64-4, and Gehlenite (Ca2Al2SiO7) 1302-56-3. Granulated blast-furnace slag is a co-product of the steel industry produced by adding a limestone flux to the ore to remove non-ferrous contaminants. As such, it may contain small quantities of hazardous heavy metals, including trace amounts of chromium, usually in solution in the glass. Ground granulated blast-furnace slag (GGBFS) is a vitreous material containing silica, alumina, magnesia and calcium oxides. It also contains a small quantity of iron, sodium, titanium and manganese oxides. The oxides do not actually occur in free form but as complexed silica-based glasses.

HAZARD DATA SOURCE: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2023-03-13 8:36:44
%: 0.0000 - 6.0000 GreenScreen: LT-UNK RC: PreC NANO: No SUBSTANCE ROLE: Binder

HAZARD TYPE LIST NAME AND SOURCE WARNINGS

None found No warnings found on HPD Priority Hazard Lists

ADDITIONAL LISTINGS LIST NAME AND SOURCE NOTIFICATION

None found No listings found on Additional Hazard Lists

SUBSTANCE NOTES: As per supplier statement: Fly ash is a by-product of coal combustion and as such may contain variable trace amounts of various different elements depending on the natural source of the coal. These may include arsenic, antimony, lead, nickel, manganese, chromium, boron, beryllium, selenium, cadmium, mercury, vanadium, uranium and other metals in trace (<0.1%) amounts. Substance not used in every formulation; contact manufacturer if more information is required.

FERRIC OXIDE YELLOW ID: 51274-00-1

HAZARD DATA SOURCE: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2023-03-13 8:36:44
%: 0.0000 - 5.0000 GreenScreen: LT-UNK RC: None NANO: No SUBSTANCE ROLE: Pigment

HAZARD TYPE LIST NAME AND SOURCE WARNINGS

None found No warnings found on HPD Priority Hazard Lists

ADDITIONAL LISTINGS LIST NAME AND SOURCE NOTIFICATION

None found No listings found on Additional Hazard Lists

SUBSTANCE NOTES: Percent by weight of substance reported as a range due to different colors available. Substance not used in every formulation; contact manufacturer if more information is required.

QUARTZ ID: 14808-60-7

**FLY ASH** 

ID: 68131-74-8

HAZARD DATA SOURCE: Ph	aros Chemical and Materials Library	HAZARD S	CREENING DATE:	2023-03-13 8:36:42
%: Impurity/Residual	GreenScreen: BM-1	RC: None	NANO: <b>No</b>	SUBSTANCE ROLE: Impurity/Residual
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS	
CAN	US CDC - Occupational Carcino	ogens	Occupational Ca	arcinogen**
CAN	CA EPA - Prop 65		Carcinogen - sp	pecific to chemical form or exposure
CAN	US NIH - Report on Carcinogen	s	Known to be Hu	uman Carcinogen (respirable size - etting)**
CAN	MAK		Carcinogen Gro	oup 1 - Substances that cause cancer in
CAN	IARC		Group 1 - Agent from occupation	t is carcinogenic to humans - inhaled nal sources**
CAN	IARC		Group 1 - Agent	t is Carcinogenic to humans**
CAN	US NIH - Report on Carcinogen	s	Known to be a h	numan Carcinogen**
CAN	GHS - Japan		H350 - May cau 1A]**	se cancer [Carcinogenicity - Category
CAN	GHS - Australia		H350i - May cau - Category 1A o	use cancer by inhalation [Carcinogenicity r 1B]**
CAN	GHS - New Zealand		Carcinogenicity	category 1**
MAM	GHS - Japan		repeated expos	damage to organs through prolonged or ure [Specific target organs/systemic g repeated exposure - Category 1]**
GEN	GHS - Japan		H341 - Suspector mutagenicity - C	ed of causing genetic defects [Germ cell Category 2]**
MAM	GHS - Australia		repeated expos	damage to organs through prolonged or ure [Specific target organ toxicity - ure - Category 1]**
MAM	GHS - New Zealand		Specific target of category 1**	organ toxicity - repeated exposure
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION	
None found			No	listings found on Additional Hazard Lists

SUBSTANCE NOTES: GreenScreen Benchmark® assessment score of BM-1 was provided by the HPD Builder Tool. Sources: Natural Sand; Limestone (1317-65-3); Portland cement (65997-15-1); Slag Cement (65996-69-2); Fly Ash (68131-74-8).

FERROSOFERRIC OXIDE ID: 1317-61-9

HAZARD DATA SOURCE: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2023-03-13 8:36:43

%: 0.0000 - 5.0000 GreenScreen: BM-1 RC: None NANO: No SUBSTANCE ROLE: Pigment

<sup>\*\*</sup>Form-Specific Hazard: This substance's GreenScreen Benchmark or List Translator score and the applicable hazards are related to particulate inhalation, which is expected to occur only during manufacture, installation, maintenance, or demolition, due to activities such as sawing, sanding, grinding, or intensive cleaning. See HPDC's Special Conditions policy for more information. Manufacturer's Safety Data Sheet (SDS), if applicable, may offer occupational health and safety information.

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
CAN	MAK	Carcinogen Group 3B - Evidence of carcinogenic effects but not sufficient for classification**
ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
None found		No listings found on Additional Hazard Lists

SUBSTANCE NOTES: GreenScreen Benchmark® assessment score of BM-1 was provided by the HPD Builder Tool. Percent by weight of substance reported as a range due to different colors available. Substance not used in every formulation; contact manufacturer if more information is required.

FERRIC OXIDE ID: 1309-37-1

HAZARD DATA SOURCE:	Pharos Chemical and Materials Library	HAZARD SO	CREENING DATE: 2023-03-13 8:36:43	
%: 0.0000 - 5.0000	GreenScreen: BM-1	RC: None	NANO: No SUBSTANCE ROLE: Pigment	
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS	
CAN	MAK		Carcinogen Group 3B - Evidence of carcinogenic effective but not sufficient for classification**	cts
МАМ	GHS - Japan		H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organs/systemic toxicity following repeated exposure - Category 1]**	or
EYE	GHS - Japan		H318 - Causes serious eye damage [Serious eye damage / eye irritation - Category 1]**	
SKI	GHS - Japan		H315 - Causes skin irritation [Skin corrosion / irritation Category 2]**	1 -
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION	
None found			No listings found on Additional Hazard Lis	sts

SUBSTANCE NOTES: GreenScreen Benchmark® assessment score of BM-1 was provided by the HPD Builder Tool. Percent by weight of substance reported as a range due to different colors available. Substance not used in every formulation; contact manufacturer if more information is required.

TITANIUM DIOXIDE

HAZARD DATA SOURCE: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2023-03-13 8:36:44

%: 0.0000 - 5.0000 GreenScreen: LT-1 RC: None NANO: No SUBSTANCE ROLE: Pigment

<sup>\*\*</sup>Form-Specific Hazard: This substance's GreenScreen Benchmark or List Translator score and the applicable hazards are related to particulate inhalation, which is expected to occur only during manufacture, installation, maintenance, or demolition, due to activities such as sawing, sanding, grinding, or intensive cleaning. See HPDC's Special Conditions policy for more information. Manufacturer's Safety Data Sheet (SDS), if applicable, may offer occupational health and safety information.

<sup>\*\*</sup>Form-Specific Hazard: This substance's GreenScreen Benchmark or List Translator score and the applicable hazards are related to particulate inhalation, which is expected to occur only during manufacture, installation, maintenance, or demolition, due to activities such as sawing, sanding, grinding, or intensive cleaning. See HPDC's Special Conditions policy for more information. Manufacturer's Safety Data Sheet (SDS), if applicable, may offer occupational health and safety information.

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
CAN	US CDC - Occupational Carcinogens	Occupational Carcinogen**
CAN	CA EPA - Prop 65	Carcinogen - specific to chemical form or exposure route**
CAN	IARC	Group 2B - Possibly carcinogenic to humans - inhaled from occupational sources**
CAN	MAK	Carcinogen Group 3A - Evidence of carcinogenic effects but not sufficient to establish MAK/BAT value**
END	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor**
CAN	MAK	Carcinogen Group 4 - Non-genotoxic carcinogen with low risk under MAK/BAT levels**
CAN	EU - GHS (H-Statements) Annex 6 Table 3-1	H351 - Suspected of causing cancer [Carcinogenicity - Category 2]**
CAN	GHS - Japan	H351 - Suspected of causing cancer [Carcinogenicity - Category 2]**
MAM	GHS - Japan	H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organs/systemic toxicity following repeated exposure - Category 1]**
CAN	EU - Annex VI CMRs	Carcinogen Category 2 - Suspected human Carcinogen**
ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPII)	C2C Certified v4 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022
		Cosmetics & Personal Care Products
POSITIVE LIST	US Environmental Protection Agency (US EPA)	US EPA - DfE Safer Chemicals Ingredients list (SCIL)
		Colorants - Green Circle (Verified Low Concern)

SUBSTANCE NOTES: Percent by weight of substance reported as a range due to different colors available. Substance not used in every formulation; contact manufacturer if more information is required.

<sup>\*\*</sup>Form-Specific Hazard: This substance's GreenScreen Benchmark or List Translator score and the applicable hazards are related to particulate inhalation, which is expected to occur only during manufacture, installation, maintenance, or demolition, due to activities such as sawing, sanding, grinding, or intensive cleaning. See HPDC's Special Conditions policy for more information. Manufacturer's Safety Data Sheet (SDS), if applicable, may offer occupational health and safety information.

SILICA, AMORPHOUS				ID: <b>7631-86-</b> 9	
HAZARD DATA SOURCE:	Pharos Chemical and Materials Library	HAZARD SC	REENING DATE:	2023-03-13 8:36:45	
%: Impurity/Residual	GreenScreen: BM-1	RC: None	NANO: No	SUBSTANCE ROLE: Impurity/Residual	

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
CAN	GHS - Japan	H350 - May cause cancer [Carcinogenicity - Category 1A]
CAN	GHS - Australia	H350i - May cause cancer by inhalation [Carcinogenicity - Category 1A or 1B]
MAM	GHS - Japan	H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organs/systemic toxicity following repeated exposure - Category 1]
MAM	GHS - Australia	H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organ toxicity - repeated exposure - Category 1]
ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
RESTRICTED LIST	Green Science Policy Institute (GSPI)	GSPI - Six Classes of Problematic Chemicals
		Antimicrobials

SUBSTANCE NOTES: GreenScreen Benchmark® assessment score of BM-1 was provided by the HPD Builder Tool. Source: Fly Ash (68131-74-8).



This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.

**VOC EMISSIONS** 

**CDPH Standard Method - Not tested** 

CERTIFYING PARTY: Self-declared APPLICABLE FACILITIES: N/A

ISSUE DATE: 2023-03-09 **EXPIRY DATE:** 

**CERTIFIER OR LAB: None** 

**CERTIFICATE URL:** 

**CERTIFICATION AND COMPLIANCE NOTES:** 



# Section 4: Accessories

This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.

No accessories are required for this product.



# Section 5: General Notes

#### MANUFACTURER INFORMATION

MANUFACTURER: Unilock ADDRESS: 401 The West Mall

Suite 610

Toronto ON M9C 5J5, CANADA

WEBSITE: www.unilock.com

CONTACT NAME: Brad Swanson
TITLE: Director of Commercial Sales

PHONE: 800-864-5625

EMAIL: Brad.Swanson@unilock.com

The listed contact is responsible for the validity of this HPD and attests that it is accurate and complete to the best of his or her knowledge.

**KEY** 

**Hazard Types** 

**AQU** Aquatic toxicity

**CAN** Cancer

**DEV** Developmental toxicity **END** Endocrine activity **EYE** Eye irritation/corrosivity

**GEN** Gene mutation

**GLO** Global warming

LAN Land toxicity

MAM Mammalian/systemic/organ toxicity

MUL Multiple
NEU Neurotoxicity

NF Not found on Priority Hazard Lists

**OZO** Ozone depletion

PBT Persistent, bioaccumulative, and toxic

PHY Physical hazard (flammable or reactive)

**REP** Reproductive

**RES** Respiratory sensitization

SKI Skin sensitization/irritation/corrosivity

**UNK** Unknown

GreenScreen (GS)

BM-4 Benchmark 4 (prefer-safer chemical)

BM-3 Benchmark 3 (use but still opportunity for improvement)

BM-2 Benchmark 2 (use but search for safer substitutes)

BM-1 Benchmark 1 (avoid - chemical of high concern)

BM-U Benchmark Unspecified (due to insufficient data)

LT-P1 List Translator Possible 1 (Possible Benchmark-1)

LT-1 List Translator 1 (Likely Benchmark-1)
LT-UNK List Translator Benchmark Unknown

NoGS No GreenScreen.

GreenScreen Benchmark scores sometimes also carry subscripts, which provide more context for how the score was determined. These are DG (data gap), TP (transformation product), and CoHC (chemical of high concern). For more information, see 2.2.2.4 GreenScreen® for Safer Chemicals, www.greenscreenchemicals.org, and Best Practices for Hazard Screening on the HPDC website (hpd-collaborative.org).

#### **Recycled Types**

PreC Pre-consumer recycled content

PostC Post-consumer recycled content

UNK Inclusion of recycled content is unknown

None Does not include recycled content

#### Other Terms:

GHS SDS Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

#### **Inventory Methods:**

Nested Method / Material Threshold Substances listed within each material per threshold indicated per material Nested Method / Product Threshold Substances listed within each material per threshold indicated per product Basic Method / Product Threshold Substances listed individually per threshold indicated per product

Nano Composed of nano scale particles or nanotechnology

Third Party Verified Verification by independent certifier approved by HPDC

Preparer Third party preparer, if not self-prepared by manufacturer

Applicable facilities Manufacturing sites to which testing applies

The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard v2.1 is not:

- a method for the assessment of exposure or risk associated with product handling or use,
- a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the product is delivered for end use.

Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.

The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.

The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this